Cookie Name	Cookie Type	Lifespan	Used by	Description
Postcode	Necessary		Hybris	Used to store a user's delivery postcode.
HybrisCart	Necessary		Hybris	Used to identify user carts in Hybris.
HybrisSession	Necessary		Hybris	Used to track a user's session in Hybris.
login-token	Necessary		Hybris	Used to enable anonymous checkout functionality in Hybris.
email	Necessary		Hybris	
cq-authoring-mode	Necessary		Hybris	
SessionPersistence	Necessary		Hybris	
_utma	Analytics		Google Analytics	These cookies enable the Google Analytics
_utmb	Analytics		Google Analytics	software. Google Analytics helps us collect and analyse visitor information such as visitor numbers, browser usage
_utmc	Analytics		Google Analytics	and marketing activity which we use to improve our website.
_utmz	Analytics		Google Analytics	
_utmli	Analytics		Google Analytics	
_ga	Analytics		Google Analytics	
_gid	Analytics	Current Session	Google Analytics	
_gat_UA-1232717-3	Analytics	Current Session	Google Analytics	
_dc_gtm_UA-1232717-37	Analytics	Current Session	Google Analytics	
_dc_gtm_UA-1232717-3	Analytics	Current Session	Google Analytics	
geolocation	Analytics		Tryzens Tradestate	Stores geolocation details.
ts_uid	Analytics		Tryzens Tradestate	Keeps tradestate specific session ID.
tfa_tra_src	Analytics		Tryzens Tradestate	Keeps the traffic source to identify how a user
dwanonymous_*	Storefront	25w 5d	B2C Commerce	Random ID used to identify an unregistered shopper or a shopper who has not yet logged in independent of the session. For example, this is used to track basket and order activity and for analytics. It is not used for any activity that occurs after the shopper registers an account. The * in the cookie name is a value unique to the site.
dwsid	Storefront	Current Session	B2C Commerce	Identifies the current browsing session.

sid	Storefront	Current Session	B2C Commerce	Identifies the current browsing session. The Salesforce Reference Architecture (SFRA) uses this to determine whether to display the cookie hint content asset. Only used by SFRA and by customizations.
dwsecuretoken_*	Storefront	Current Session	B2C Commerce	Used with dwsid to secure the session through HTTPS. The * in the cookie name is a value unique to the site.
dwcustomer_*	Storefront	25w 5d	B2C Commerce	Identifies a registered shopper. Used only when the shopper selects Remember Me. (This is an optional website feature.) The * in the cookie name is a value unique to the site.
dw_dnt*	Storefront	Current Session	B2C Commerce	Controls client-side JavaScript for Commerce Cloud tracking features (Analytics, Einstein, and ActiveData). Commerce Cloud sets it with each page response, based on the value of the corresponding session attribute TrackingAllowed. The value of this cookie always matches that of the Einstein_cq_dnt cookie.
dwac_*	Storefront	Current Session	B2C Commerce	Stores the following data for analytics purposes: Session ID, report suite name, shopper's customer ID, source code group ID (encoded), currency mnemonic, and time zone. The * in the cookie name is a value unique to the site.
dwpersonalization_*	Storefront	25w 5d	B2C Commerce	Tracks participation in A/B test groups for analytics purposes. If the shopper participated in a test, then the value is cleared when the shopper logs out. The * in the cookie name is a value unique to the site.
dwsourcecode_*	Storefront	Varies from 0 - 999 days	B2C Commerce	Stores the source code for campaign and affiliate tracking. The lifespan of this cookie is set for each source code in Business Manager. The * in the cookie name is a value unique to the site.
SESSION	Merchant application	Current Session	B2C Commerce	Identifies the current browsing session.
XSRF-TOKEN	Merchant Application	Current Session	B2C Commerce	Used to validate requests. This protects against CSRF.

JSESSIONID	Merchant Application	Current Session	B2C Commerce	Identifies the current browsing session.
dwAccountManager	Merchant Application	Current Session	B2C Commerce	Authenticated session ID.
i18next	Merchant Application	Current Session	B2C Commerce	i18n setting for Account Manager.
amlbcookie	Merchant Application	Current Session	B2C Commerce	OpenAM-specific load-balancing cookie for Account Manager (not used).
BIGipServeraapi_amr_ssl	Merchant Application	Current Session	B2C Commerce	F5 load-balancing cookie for Account Manager.
.BF397AUTH	Order Management	Current Session	B2C Commerce	Store authentication token.
ASP.NET_SessionId	Order Management	15 minutes when true, 30 minutes when false	B2C Commerce	Authenticated session ID.
ISAWPLB{*}	Order Management	Current Session	B2C Commerce	(For POD08 users) Identifies the load-balancer session. The * is a GUID.
AWSELB	Order Management	Current Session	B2C Commerce	(For AWS users) Identifies the load-balancer
RETAILCENTER	Order Management	Permanent	B2C Commerce	Identifies the store when a user selects the store in Retail Center. The value is specific to the computer.
connect.sid	Reports & Dashboards	1h	B2C Commerce	Identifies the current browsing session.
XSRF-TOKEN	Reports & Dashboards	1 year	B2C Commerce	Used to validate requests. This protects against
_pendo_accountid*	Reports & Dashboards	Varies	B2C Commerce	Processes data for Pendo analytics.
_pendo_meta*	Reports & Dashboards	Varies	B2C Commerce	Processes data for Pendo analytics.
_pendo_visitorid*	Reports & Dashboards	Varies	B2C Commerce	Processes data for Pendo analytics.
liveagent_vc	Storefront		Smarter Commerce	Supports online chat and customer support
liveagent_sid	Storefront	Current Session	Smarter Commerce	Supports online chat and customer support
liveagent_ptid	Storefront		Smarter Commerce	Supports online chat and customer support
liveagent_oref	Storefront		Smarter Commerce	Supports online chat and customer support
_RequestVerificationTok en_L1VT0	Storefront	Current Session	Smarter Commerce	Identifies the current browsing session.
X-Salesforce-CHAT	Help & Support	Current Session	B2C Commerce	Supports online chat and customer support
ASP.NET_SessionId	Storefront	Current Session	Smarter Commerce	Identifies the current browsing session.
/USNodesDisplayMode	Storefront		Smarter Commerce	
_fbp	Advertising		Facebook Advertising	Used by Facebook to deliver a series of advertisement products such as real time bidding

-	_gcl_au	Advertising	Google Ad Sense	Used by Google AdSense for experimenting with
				advertisement efficiency across websites using their
				services.