HOR60S11ISX2 - Stainless Steel HOR60S11IBX2 - Black

# 60cm 500 Series Freestanding Cooker, Induction



HOR60S11ISX2



HOR60S11IBX2

# Haier

Height

960-985mm

Width

595mm

Depth

600mm

Total Oven Capacity

82L

Weight (Packaged)

68kg

Weight (Product)

60kg

### FEATURES

- Available in Black or Silver Stainless to blend in or stand out
- $\bullet \qquad \text{Low current 20A model with the potential to replace a gas or electric cooktop using the existing wiring, for cost effectiveness}^*$
- 60cm induction cooktop with 4 zones to fit multiple pots and pans
- Pair two of the cook zones to create one large FlexiZone
- 82L oven capacity for cooking multiple dishes at once
- 11 oven functions including Pizza and Air Fry, with specialised trays to recreate favourite fried foods with less oil
- Bakery+Steam using the cavity to achieve a perfectly crispy crust or light and fluffy cake
- $\bullet \qquad \text{Triple-glazed glass keep the door cool even when in use, partial telescopic runners make it easy and safe to remove hot dishes the same of the same of the property of the same of$
- Robust yet simple dials make it easy to select the right temperature, built in timer to keep track of cooking times
- 2 year warranty and 24/7 local service support for extra peace of mind

#### **ACCESSORIES**

- Stainless Steel Toe Kick supplied with HOR60S11ISX2 (optional)
- Black Toe Kick supplied with HOR60S11IBX2 (optional)

The models shown in this Specification Guide (SG) may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This SG should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website haier.com

<sup>\*</sup>Specific electrical situations may vary. Please consult with a licensed electrician.

HOR90S11ISX2 - Stainless Steel HOR90S11IBX2 - Black

# 90cm 500 Series Freestanding Cooker, Induction





960-985mm

Width

897mm

Depth

600mm

Total Oven Capacity

138L

Weight (Packaged)

98kg

Weight (Product)

90kg







HOR90S11IBX2

### FEATURES

- Available in Black or Silver Stainless to blend in or stand out
- 90cm induction cooktop with 5 cook zones to fit multiple pots and pans
- Pair two of the cook zones to create one large FlexiZone
- 138L oven capacity for cooking multiple dishes at once
- 11 oven functions including Fan Bake and Pizza
- Air Fry with specialised trays to recreate favourite fried foods with less oil
- Bakery+Steam using the cavity to achieve a perfectly crispy crust or light and fluffy cake
- $\bullet \qquad \text{Triple-glazed glass keep the door cool even when in use, partial telescopic runners make it easy and safe to remove hot dishes$
- Robust yet simple dials make it easy to select the right temperature, built in timer to keep track of cooking times
- 2 year warranty and 24/7 local service support for extra peace of mind


#### **ACCESSORIES**

- Stainless Steel Toe Kick supplied with HOR90S11ISX2 (optional)
- Black Toe Kick supplied with HOR90S11IBX2 (optional)

The models shown in this Specification Guide (SG) may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This SG should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website haier.com


# Product Overview

### PRODUCT DIMENSIONS



		mm
^	Overall height	min 960
Α	(including adjustable feet)	max 985
D	Height from floor to cooktop	min 900
В	(excluding splashback)	max 925
С	Overall width	595
D	Overall depth (excluding handle and dials)	600

## CABINETRY OPENING




		mm
Α	Minimum height of cabinetry opening	900
В	Minimum width of cabinetry opening	600
С	Minimum depth of cabinetry opening	600

SERVICES		
<ul> <li>Supply</li> </ul>	220-240 V, 50 Hz	
• Service	20 A	
Connection	Hardwired	

 $The models shown in this Specification \ Guide (SG) \ may \ not \ be \ available \ in \ all \ markets \ and \ are subject to \ change \ at \ any time. \ Product \ specifications \ may \ vary \ from \ those \ shown. \ This \ SG \ should \ not \ be \ used \ as \ installation \ guidance \ for \ any \ product. \ Further \ information \ is \ required \ to \ safely \ and \ correctly \ install \ the \ products \ featured \ here. \ Specific \ installation \ guidance \ will be \ available \ with \ the \ product \ on \ delivery \ and \ on \ our \ website \ haier.com$ 


# **Product Overview**

### PRODUCT DIMENSIONS



		mm
	Overall height	min 960
Α	(including adjustable feet)	max 985
В	Height from floor to cooktop	min 900
	(excluding splashback)	max 925
С	Overall width	897
D	Overall depth (excluding handle and dials)	600

## CABINETRY OPENING



	mm
Minimum height of cabinetry opening	900
Minimum width of cabinetry opening	900
Minimum depth of cabinetry opening	600
	Minimum width of cabinetry opening

# SERVICES

• Supply	220-240 V, 50 Hz
• Service	32 A
<ul> <li>Connection</li> </ul>	Hardwired

 $The models shown in this Specification \ Guide (SG) \ may \ not \ be \ available \ in \ all \ markets \ and \ are subject to \ change \ at \ any time. \ Product \ specifications \ may \ vary \ from \ those \ shown. \ This \ SG \ should \ not \ be \ used \ as \ installation \ guidance \ for \ any \ product. \ Further \ information \ is \ required \ to \ safely \ and \ correctly \ install \ the \ products \ featured \ here. \ Specific \ installation \ guidance \ will be \ available \ with \ the \ product \ on \ delivery \ and \ on \ our \ website \ haier.com$