HPH60ILB2, HPH60ILX2 HPH90ILB2, HPH90ILX2

Rangehood, Integrated Insert 60cm, 90cm









FEATURES

- Seamlessly integrates into kitchen cabinetry for a minimal look
- Effective extraction of cooking steam, grease and odours
- Up to 780m3/hr airflow
- Energy-efficient LED lighting
- Ducted or recirculated options for flexible installation
- Dishwasher-safe aluminium filters are easy to remove
- Choose between three fan speeds
- Responsive push button controls

ACCESSORIES

• Aluminium filter (HPH60ILX2, HPH60ILB2) 793597

• Aluminium filter (HPH90ILX2, HPH90ILB2) 793598

• Recirculation carbon filter 2x 792481

Haier

Height

285mm & 315mm

Width

492mm & 792mm

Depth

277mm

Weight (Packaged)

7.5kg 6.5kg


Weight (Product)

11.5kg 8.8kg

Product overview


HPH60ILB2, HPH60ILX2

PRODUCT DIMENSIONS



		mm
A	Overall height	338
	Height withouth ducting adapter	285
В	Overall width	492
С	Overall depth	277

CAVITY DIMENSIONS



		mm
Α	Overall width of the cutout	460
В	Overall depth of the cutout	260


SERVICES	
 Supply 	220-240V, 50Hz
• Power	286W

The models shown in this Specification Guide (SG) may not be available in all markets and are subject to change at any time. Product specifications may vary from those shown. This SG should not be used as installation guidance for any product. Further information is required to safely and correctly install the products featured here. Specific installation guidance will be available with the product on delivery and on our website haier.com

Product overview


HPH90ILB2, HPH90ILX2

PRODUCT DIMENSIONS



		mn
Α	Overall height	37
	Height withouth ducting adapter	31:
В	Overall width	792
С	Overall depth	27

CAVITY DIMENSIONS



		mm
Α	Overall width of the cutout	760
В	Overall depth of the cutout	260

SERVICES	
 Supply 	220-240V, 50Hz
• Power	286W
-	